


- . 6" METAL STUDS @ 16" O.C. FROM FINISHED SLAB TO UNDERSIDE OF ROOF DECK WITH ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON EACH SIDE, FÚLL HEIGHT.
- 2. 6" METAL STUDS @ 16" O.C. FROM FINISHED SLAB TO UNDERSIDE OF ROOF DECK WITH ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON OFFICE SIDE FROM TOP OF CEILING JOISTS TO UNDERSIDE OF
- ROOF DECK. 3. 4" METAL STUDS @ 16" O.C. FROM FINISHED SLAB TO 10'-0" A.F.F. WITH SOUND BATT INSULATION AND ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD
- ON OFFICE SIDE, WHERE EXPOSED. 4. 2x4 WOOD STUDS @ 16" O.C. FROM FINISHED SLAB TO 10'-0" A.F.F. WITH SOUND BATT INSULATION AND
- ON EACH SIDE. 5. 2x4 WOOD STUDS @ 16" O.C. FROM FINISHED SLAB TO 10'-0" A.F.F. WITH ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON

ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD

- EXPOSED SIDE(S). 6. 2x6 WOOD STUDS @ 16" O.C. FROM FINISHED SLAB
- TO 10'-0" A.F.F. WITH ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON BOTH SIDES. 7. 2x4 WOOD STUDS @ 16" O.C. FROM THE TOP OF CEILING JOIST TO UNDERSIDE OF ROOF JOIST WITH ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON THE EXPOSED SIDE.
- 8. PROVIDE ROUGH OPENING FRAMING IN WALL TO ALLOW FOR FUTURE INSTALLATION OF 12'-0" TALL OVERHEAD DOOR.
- 9. PROVIDE ROUGH OPENING FRAMING IN WALL TO ALLOW FOR FUTURE INSTALLATION OF 7'-0" TALL
- 10. ACCESSIBLE WATER CLOSET. SEE ENLARGED FLOOR PLAN 1/A501. 1. ACCESSIBLE LAVATORY.
- 12. CASEWORK. SEE INTERIOR ELEVATION 5/A501. 13. CABINET FACE. SEE INTERIOR ELEVATION 5/A501. 14. ELECTRICAL PANEL, SEE ELECTRICAL DRAWINGS.
- 15. ELECTRICAL TRANSFORMER. SEE ELECTRICAL DRAWINGS. 16. EXISTING DOOR.
- 17. EXISTING ACCESSIBLE TOILET. 18. EXISTING FIRE RISER.
- 19. EXISTING FIRE EXTINGUISHER. 20. NEW HI-LO DRINKING FOUNTAINS. SEE PLUMBING DRAWINGS.
  - 21. EXISTING ELECTRICAL EQUIPMENT.
  - 22. EXISTING S.E.S. 23. 2x6 WOOD STUDS @ 16" O.C. FROM FINISHED SLAB TO 10'-0" A.F.F. WITH SOUND BATT INSULATION FULL HEIGHT AND ONE LAYER OF 5/8" TYPE 'X' GYPSUM BOARD ON EACH SIDE.



Checked

Revised CITY COMMENTS
01-07-13

## **GENERAL NOTES**

A. OWNER/TENANTS TO PROVIDE NO SMOKING OR SMOKE FREE SIGNAGE AT ALL POINTS OF ENTRY. SIGNAGE SHALL STATE THAT THIS IS A NO SMOKING ESTABLISHMENT, OR HAVE THE INTERNATIONAL NO SMOKING SYMBOL WITH LETTERS OR SYMBOL TO BE NOT LESS THAN 3" IN HEIGHT. (COMPLIANCE REQUIRED PER MESA CITY CODE TITLE 6, CAHPTER 11)

**PERMIT**